| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | FED STATUS | CA STATUS | BLM STATUS | CA RARE PLANT RANK | NNPS STATUS | GLOBAL RANK | STATE RANK | NV STATUS | RECOVERY PLAN? | DATE UPDATED | COMMENTS | ALTURAS | BAKERSFIELD | BARSTOW | BISHOP | HOLLISTER EL CENTRO EAGLE LAKE | MOTHER LODE | PALM SPRINGS NEEDLES | REDDING | RIDGECREST | UKIAH |
|--|---------------------------|---------------------|---------------|------------|-----------|------------|--------------------|-------------|-------------|------------|-----------|----------------|-----------------|--|---------|-------------|---------|--------|--------------------------------------|-------------|-------------------------|---------|------------|-------|
| Acmispon argyraeus var. multicaulis | scrub lotus | VASC | Fabaceae | | 1 | BLMS | 1B.3 | | G4?T2 | S2 | | No | 13-Sep-12 | Formerly Lotus argyraeus (Greene) Greene var. multicaulis (Ottley) Isely. Occurs on BLM lands in vicinity of Dinosaur Trackway ACEC. Occurrence there discovered in 2008 acc. Jim Weigand. | 3 | | | | | | К | | | |
| Astragalus bernardinus | San Bernardino Milk-Vetch | VASC | Fabaceae | | | BLMS | 1B.2 | | G2G3 | S2S3 | | No | 06-Aug-13 | Currently shown in Little San Bernardino Mountains, Little San Bernardino Mountains, New York Mountains, and Big Horn Mountains. There are 33 known occurrences in CNDDB, 12 between 1992 and 2011. | | | K | | | | K | | | |
| Berberis harrisoniana | Kofa Mountain barberry | VASC | Berberidaceae | | ı | BLMS | 1B.2 | | G1G2 | S1 | | No | 28-Apr-15 | In Whipple Wash | | | | | | | К | | | |
| Echinocereus engelmannii var. howei | Howe's hedgehog cactus | VASC | Cactaceae | | 1 | BLMS | 1B.1 | | G5T1 | S1 | | No | 18-Apr-13 | E. e. var. howei not recognized in Jepson Manual 1st or 2nd edition or in Flora North America. It is recognized in the USDA Plants database. Original description is in the Cactus and Succulent Journal 46:80 (1974). | | | | | | | К | | | |
| Eriastrum harwoodii | Harwood's eriastrum | VASC | Polemoniaceae | | 1 | BLMS | 1B.2 | | G2 | S2 | | No | 28-Apr-15 | CNDDB maps at least 3 occurrences on BLM lands in the Needles Field Office. Several new occurrences added in 2009 and 2010 as a result of solar power plant surveys and CNPS Rare Plant Treasure Hunt. | | | | | | | КК | | | |
| Eriogonum thornei | Thorne's buckwheat | VASC | Polygonaceae | | SE I | BLMS | 1B.2 | | G1 | S1 | | No | 13-Sep-12 | Formerly <i>E. ericifolium</i> var. thornei, now elevated to species. | | | | | | | К | | | |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | FED STATUS | CA STATUS | BLM STATUS | CA RARE PLANT RANK | NNPS STATUS | GLOBAL RANK | STATE RANK | NV STATUS | RECOVERY PLAN? | DATE UPDATED | COMMENTS | ALTURAS | ARCATA | BAKERSFIELD | BARSTOW | BISHOP | HOLLISTER EL CENTRO EAGLE LAKE | MOTHER LODE | PALM SPRINGS | REDDING | RIDGECREST | UKIAH |
|---|------------------------------|---------------------|------------------|------------|-----------|------------|--------------------|-------------|-------------|------------|-----------|----------------|-----------------|--|---------|--------|-------------|---------|--------|--------------------------------------|-------------|--------------|---------|------------|-------|
| Euphorbia jaegeri | Orocopia Mountains spurge | VASC | Euphorbiaceae | | | BLMS | 18.1 | | G1 | S1 | | No | 30-Jul-13 | Newly described in 2012 (<i>Aliso</i> 30: 1-4). There are only four known occurrences. CNDDB Occurrence 2 (Marble Mountains) and occurrences 3 and 4 (Bristol Mountains) are all on BLM lands in the Needles Field Office. Occurrence 4 is within the boundaries of a proposed wind farm. Occurrence 1, the type locality, is in the Orocopia Mountains (Palm Springs Field Office), where the nonspecific mapped 2/5 mile radius circle has both BLM and private lands within it. Added to the CNPS/CDFW lists on 1-17-2013. | | | | | | | | K S | | | |
| Galium hilendiae subsp. kingstonense | Kingston bedstraw | VASC | Rubiaceae | | 1 | BLMS | 1B.3 | | G4T2 | S2 | | No | 18-Apr-13 | | | | | К | | | | К | | | |
| Glossopetalon pungens | pungent glossopetalon | VASC | Crossosomataceae | | ı | BLMS | 1B.2 | | G2G3 | S1 | | No | 18-Apr-13 | | | | | | | | | K | | | |
| Ivesia jaegeri | Jaeger's ivesia | VASC | Rosaceae | | 1 | BLMS | 1B.3 | | G2G3 | S1 | | No | 03-Jun-13 | | | | | | | | | K | | | |
| Ivesia patellifera | Kingston Mtns. ivesia | VASC | Rosaceae | | 1 | BLMS | 1B.3 | | G1 | S2 | | No | 03-Jun-13 | | | | | К | | | | K | | | |
| Mentzelia polita | polished blazing star | VASC | Loasaceae | | | BLMS | 18.2 | | G2 | S2 | | No | 03-Jun-13 | CNDDB maps one nonspecific occurrence on BLM land just north of the Eastern Mojave National Preserve on the Clark Mountain quad. CNPS Rare Plant Treasure Hunt found a new occurrence (CNDDB Occurrence No. 3) on the Ivanpah Lake quad. | | | | | | | | K | | | |
| Monardella eremicola | Clark Mountain monardella | VASC | Lamiaceae | | | BLMS | 1B.3 | | G2G3Q | S2S3 | | No | 18-Sep-12 | This species was added as California Rare Plant Rank 1B.3 on 12-16-2011. The CNDDB maps three occurrences on BLM lands in the Kingston Mountains, all of which list BLM as the landowner. | | | | | | | | K | | | |
| Monardella robisonii | Robison monardella | VASC | Lamiaceae | | | BLMS | 1B.3 | | G3 | S3 | | No | 13-Sep-12 | | | | | K | | | | K S | | | |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | FED STATUS | CA STATUS | BLM STATUS | CA RARE PLANT RANK | NNPS STATUS | GLOBAL RANK | STATE RANK | NV STATUS | RECOVERY PLAN? | DATE UPDATED | COMMENTS | ALTURAS | ARCATA | BAKERSFIELD | BARSTOW | BISHOP | EAGLE LAKE | HOLLISTER | MOTHER LODE | NEEDLES | PALM SPRINGS | RIDGECREST | SURPRISE | UKIAH |
|--|----------------------------|---------------------|----------------|------------|-----------|------------|--------------------|-------------|-------------|------------|-----------|----------------|-----------------|--|---------|--------|-------------|---------|--------|------------|-----------|-------------|---------|--------------|------------|----------|-------|
| Opuntia basilaris var. brachyclada | short-joint beavertail | VASC | Cactaceae | | | BLMS | 1B.2 | | G5T3 | S3 | | No | 06-Aug-13 | Until March 8, 2004, this var. had been considered K in both Needles and Barstow. But the Jepson Manual does not consider this a desert species, and a report by Pamela MacKay calls into question whether it ever occurred in the eastern Mojave. The draft BLM West Mojave Plan states that it only occurs on private lands in the WEMO planning area. It was therefore been changed to "S" in both Needles and Barstow. The CNPS Rare Plant Treasure Hunt documented an occurrence about 1 mile north of Cajon Pass on BLM land in 2010. The taxon has therefore been moved back to "K" for Barstow. On 8/6/2013 the taxon was added as "S" to the list for Palm Springs based on the fact that CNDDB nonspecific Occurrence 107 has some BLM lands within the mapped 4/5 mile radius circle. | | | | K | | | | | S | S | | | |
| Pediomelum castoreum | Beaver Dam breadroot | VASC | Fabaceae | | | BLMS | 18.2 | | G3 | S2 | | No | 13-Sep-12 | Reranked from California Rare Plant Rank 4.3 to 1B.2 on 6-29-2011. CNDDB Occurrence 22 occurs on BLM lands in the Needles Field Office near Kingston Wash. Several other occurrences are either on or near BLM lands in the Barstow Field Office. | | | | K | | | | | K | | | | |
| Penstemon albomarginatus | white-margined beardtongue | VASC | Plataginaceae | | | BLMS | 1B.1 | | G2 | S1 | | No | 16-Nov-10 | | | | | K | | | | | К | | | | |
| Penstemon bicolor subsp. roseus | rosy two-toned beardtongue | VASC | Plataginaceae | | | BLMS | 1B.1 | | G3T3Q | S1 | | No | 13-Sep-12 | On BLM lands near Castle Mt. Mine and Hart Mt. Moved from CNPS List 2.2 to List 1B.1 on 12/8/09. | | | | | | | | | К | | | | |
| Penstemon fruticiformis var. amargosae | Death Valley beardtongue | VASC | Plantaginaceae | | | BLMS | 1B.3 | | G4T3 | S2 | | No | 28-Apr-15 | | | | | K | | | | | К | | | | |
| Penstemon stephensii | Stephens' beardtongue | VASC | Plantaginaceae | | | BLMS | 1B.3 | | G2 | S2 | | No | 13-Sep-12 | | | | | K | | | | | К | | | | |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | FED STATUS | CA STATUS | CA RARE PLANT RANK | NNPS STATUS | GLOBAL RANK | STATE RANK | NV STATUS | RECOVERY PLAN? | DATE UPDATED | COMMENTS | ARCATA ALTURAS | BAKERSFIELD | BARSTOW | EAGLE LAKE | EL CENTRO | HOLLISTER | MOTHER LODE | PALM SPRINGS | REDDING | SURPRISE | UKIAH |
|--------------------------------------|--------------------------|---------------------|---------------|------------|-----------|--------------------|-------------|-------------|------------|-----------|----------------|-----------------|---|-------------------|-------------|---------|------------|-----------|-----------|-------------|--------------|---------|----------|-------|
| Saltugilia latimeri | Latimer's woodland-gilia | VASC | Polemoniaceae | | BLM | S 1B.2 | | G2 | S2 | | No | 28-Apr-15 | Known to occur on BLM lands along or near currently designated OHV routes in the Old Dad Mountains south of the west end of the Mojave National Preserve acc. Jim Weigand. | | | | | | | K | K | | K | |
| Salvia greatae | Orocopia sage | VASC | Lamiaceae | | BLM | S 1B.3 | | G2G3 | S2S3 | | No | 28-Apr-15 | CNDDB Occurrence # 11 is from the south edge of the Trilobite Wilderness near Amboy (Needles Field Office), far from the core of its range in southern Riverside County. The occurrence (shown on BLM lands) is unvouchered and was listed as Salvia cf. funerea by Spaulding and Twitchell in 1978. CNDDB decided it must be S. greatae. Kam Barrows looked at the occurrence in 1986 and found no plants. | | | | | | | S | S К | | | |
| Sphaeralcea rusbyi var. eremicola | Rusby's desert-mallow | VASC | Malvaceae | | BLM | S 1B.2 | | G4T2 | S2 | | No | 13-Sep-12 | CNPS Rare Plant Treasure Hunt found 19 new occurrences in 2010. | | | | | | | K | (| | | |

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; SR = State Endangered; ST =